

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 02/05/04

Date Received: 01/30/04

Project: Metro Self Monitor, PO# M92707, F&BI 401202

Date Extracted: 02/04/04

Date Analyzed: 02/04/04

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR TOTAL METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
(METHOD 6010)**

Results Reported as mg/L (ppm)

<u>Sample ID</u> Laboratory ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M92707 401202-01	0.30	0.59	0.40	0.29
Method Blank	<0.05	<0.05	<0.10	<0.05

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 02/05/04

Date Received: 01/30/04

Project: Metro Self Monitor, PO# M92707, F&BI 401202

QUALITY ASSURANCE RESULTS FROM TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Laboratory Code: 402018-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	<0.05	<0.05	nm	0-20
Copper	mg/L (ppm)	2.3	2.2	4	0-20
Nickel	mg/L (ppm)	<0.1	<0.1	nm	0-20
Zinc	mg/L (ppm)	1.9	1.9	0	0-20

Laboratory Code: 402018-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	Acceptance Criteria
Chromium	mg/L (ppm)	2	<0.05	81	80-120
Copper	mg/L (ppm)	2	2.3	77	80-120
Nickel	mg/L (ppm)	4	<0.1	81	80-120
Zinc	mg/L (ppm)	2	1.9	82	80-120

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	2	83	83	80-120	0
Copper	mg/L (ppm)	2	84	83	80-120	1
Nickel	mg/L (ppm)	4	83	83	80-120	0
Zinc	mg/L (ppm)	2	84	84	80-120	0

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

February 5, 2004

DUPLICATE COPY

INVOICE #04ACU0205-1

Accounts Payable
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro Self Monitor, PO# M92707, F&BI 401202 - Results of testing
requested by Gerry Thompson for material submitted on January 30, 2004.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc
by Method 6010B @ \$80 per sample

\$ 80.00

Amount Due

\$ 80.00

FEDERAL TAX ID # (b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

February 5, 2004

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Included are the results from the testing of material submitted on January 30, 2004 from the Metro Self Monitor, PO# M92707, F&BI 401202 project. There are 2 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Charlene Morrow
Chemist


Enclosures
ACU0205R.DOC

401202

SAMPLE CHAIN OF CUSTODY CM 01/30/04

BI



Send Report To G. Thompson
 Company ALASKAN Copper
 Address 628 S. Harbor St
 City, State, ZIP Seattle WA 98174
 Phone # 206-382-8379 Fax # 206-382-4369

SAMPLERS (signature) 	
PROJECT NAME/NO. <u>METRO Self monitor</u>	PO # <u>M92707</u>
REMARKS	

Page # _____ of _____
TURNAROUND TIME <input type="checkbox"/> Standard (2 Weeks) <input type="checkbox"/> RUSH Rush charges authorized by: _____
SAMPLE DISPOSAL <input type="checkbox"/> Dispose after 30 days <input type="checkbox"/> Return samples <input type="checkbox"/> Will call with instructions

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	ANALYSES REQUESTED										Notes		
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS							
m 92707	01	1/30/04	12:30	H2O	1								✓					

Friedman & Bruya, Inc.
 3012 16th Avenue West
 Seattle, WA 98119-2029
 Ph. (206) 285-8282
 Fax (206) 283-5044

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: 	G. Thompson	ALW	1/30/04	1:04pm
Received by: 	Nhan Phan	Friedman & Bruya	1/30/04	↓
Relinquished by:				
Received by:				